Package: CPNCoverageAnalysis (via r-universe)

October 11, 2024

Title Conceptual Properties Norming Studies as Parameter Estimation

Version 1.1.0
Description Implementation of conceptual properties norming studies, including estimates of CPNs parameters with their corresponding variances and estimates for the sampling process, and a sampling property function based on a modified empirical distribution from the original data.
License GPL (>= 3)
Encoding UTF-8
LazyData true
RoxygenNote 7.1.1
Depends R (>= 2.10)
NeedsCompilation no
Author Sebastian Moreno [aut, cre], Enrique Canessa [ths], Sergio Chaigneau [ths], Rodrigo Lagos [ths], Felipe Medina [ths]
Maintainer Sebastian Moreno <sebastian.moreno.araya@gmail.com></sebastian.moreno.araya@gmail.com>
Date/Publication 2021-10-09 16:30:07 UTC
Repository https://smorenoa.r-universe.dev
RemoteUrl https://github.com/cran/CPNCoverageAnalysis
RemoteRef HEAD
RemoteSha 11bb2b55b20bf55252850943e136fcfb7a8fd157
Contents
data_paper 2 data_test 2 estimate_participant 3 generate_norms 3 property_simulator 4
Index 5

2 data_test

data_paper

Example of the dataset used in the paper.

Description

A real dataset from spanish speakers, translated using automatic algorithms

Usage

data_paper

Format

A data frame with 4364 rows and 3 variables:

ID Id of the people

Concept Concept being described by the person ID

Property A property mentioned for the corresponding concept for the person ID

 $data_test$

Test example dataset.

Description

A toy dataset containing the description of ten people, over 3 concept, with multiple properties.

Usage

data_test

Format

A data frame with 65 rows and 3 variables:

ID Id of the people

Concept Concept being described by the person ID

Property A property mentioned for the corresponding concept for the person ID

estimate_participant 3

estimate_participant	Estimate the number of people needed and expected number of unique
	properties for a determined coverage based on the estimated norms

Description

Estimate the number of people needed and expected number of unique properties for a determined coverage based on the estimated norms

Usage

```
estimate_participant(est_norms, target_cover)
```

Arguments

est_norms a data frame with the estimated norms (generated by generateNorms)

target_cover float between 0 and 1, corresponding to coverage (the fraction of the total inci-

dence probabilities of the reported properties that are in the reference sample)

Value

a vector with the extra number of participant to achieve the especific coverage, and the estimate of the number of unique properties listed by the new amount of suggested people

Examples

```
estimated_norms=generate_norms(data_test)
estimate_participant(estimated_norms,0.8)
```

generate_norms

Calculate all the norms from a Conceptual properties

Description

Calculate all the norms from a Conceptual properties

Usage

```
generate_norms(orig_data)
```

Arguments

orig_data a data frame of size nx3 (id, concept, property)

Value

a data frame with all the estimations

4 property_simulator

Examples

```
generate_norms(data_test)
```

property_simulator Simulate properties based on the empricial distribution of the original data and new words with frequency one

Description

Simulate properties based on the empricial distribution of the original data and new words with frequency one

Usage

```
property_simulator(orig_data, new_words, number_subjects)
```

Arguments

orig_data a data frame of size nx3 (id, concept, property). The empriical distribution is

generated from this data

new_words integer greater than 0, corresponding to the number of words with frequency one

that should be added to the empirical distribution

number_subjects

number of subjects to be sampled. Each subject with generates new properties

Value

a vector with the extra number of participant to achieve the especific coverage, and the estimate of the number of unique properties listed by the new amount of suggested people

Examples

```
orig_data=data_paper[data_paper[,2]=="Decision",]
property_simulator(orig_data, 84, 15)
```

Index